

RUIKE

2019 CATALOG



INSTAGRAM



FACEBOOK

CONTACT US

Tel: +86-755-29631183

Fax: +86-755-29631181

E-mail: Info@fenixlight.com

Web: www.ruikeknives.com

Address: 8/F, 2nd Building, DongFangMing Industrial Center,
33rd District, Bao' an, Shenzhen 518133, China

69.999.999.434-A1-20190225



Produced by Ruike Outdoor
ToolsManufacturing CO., LTD.



CONTENTS

BRAND INTRODUCTION / 02

WHY CHOOSE RUIKE / 04

MULTI-FUNCTION KNIVES / 06

S SERIES / 11

M SERIES / 12

L SERIES / 14

LD SERIES / 16

FOLDING KNIVES / 24

FIXED BLADE KNIVES / 38

PRODUCT WARRANTY / 43



BRAND INTRODUCTION



FENIXLIGHT LIMITED

THE EXCLUSIVE BRAND AGENT FOR RUIKE


Complementing its world-renowned flashlight line, Fenixlight is proud to announce that it has become the exclusive brand agent for RUIKE knives. Like Fenix flashlights, RUIKE has paid special attention to provide knives that outdoor workers and enthusiasts will be proud to carry and rely on. The craftsmanship, quality, and overall pride that goes into creating these knives sets RUIKE far above its competition.

In the spirit of Fenix, RUIKE is committed to providing a superior quality product that is in touch with its customer base. Formed with high-grade stainless steel, RUIKE knives come in a variety of designs including folding, fixed blade, and multi-functional knives.

FOR THE PERSON OF ACTION

RUIKE Outdoor Tools Manufacturing CO., LTD (hereinafter referred to as "RUIKE" /reik/) was founded in 1998 by Mr Leung, a bladesmith with a long-term devotion to knife design and production. Ever since establishment, RUIKE has been providing years of service to numerous domestic and overseas knife brands in both design and manufacturing. In 2016, RUIKE was confident enough to launch its own brand, self-named RUIKE.

RUIKE is always committed to the value and mission of innovating high-quality and reliable practical knives and tools, taking into consideration experiences of all users. For the person of action, RUIKE is the smart choice: a fine and capable knife you can confidently wield because of its fine craftsmanship and excellent quality.



Produced by Ruike Outdoor
Tools Manufacturing CO., LTD.

WHY CHOOSE RUIKE?

To ensure knife quality, we are devoted to cooperating with world-class brands, employing and upgrading advanced treatment process which is indispensable to make high-end knives. And RUIKE is always dedicated to structure and function innovation.



CRYOGENIC TREATMENT

The blades of RUIKE knives are all processed with Cryogenic Treatment. It has a profound effect on eliminating residual stresses of steels and it helps improve mechanical properties of steels, such as the hardness (HRC), toughness, wear resistance, and corrosion resistance.



THRUST ROLLING BEARING WASHER

1. Thrust Ball Bearing Washer

The built-in lubricated balls are made of specialized high-carbon chromium bearing steel and are finely machined. The balls feature excellent hardness, wear resistance and fatigue durability.



2. Thrust Roller Bearing Washer

The built-in lubricated rollers are made of specialized high-carbon chromium bearing steel and are finely machined. The rollers feature excellent hardness, wear resistance and fatigue durability.



SAFETY LOCK SYSTEM

A reliable knife is like an intimate friend who never hurts but always defends.

Lots of outdoor activities will cause the knife locking bar to be easily contaminated with water, oil or blood stain, leading to accidental disengagement of lock bar. The Ruike Safety Locking System is designed to consolidate the classic liner/frame locking mechanism, and to eliminate the risks. Whenever you just need to slide the lateral/dorsal safety lock and the liner/frame locking bar will surely be protected from disengaging.

1. "Beta Plus" Safety Lock

- 1) Avoids accidental blade closure
- 2) Prevents lockbar overtraveling
- 3) Patented, proprietary technology

2. "Thumb Up" Safety Lock

- 1) Avoids accidental blade closure
- 2) Installed at the back of the handle, ThumbUp safety lock allows quick turning on/off by thumb-up/thump-down movement.
- 3) Patented, proprietary technology



WEIGHT REDUCTION DESIGN

The handle liner, the most invisible part, is designed and machined to make the structure even more lightweight without compromising the solidity.



LANYARD COMPATIBILITY



ROTATORY BELT BUCKLE

For free wearing and angle adjustment.



Thrust Ball Bearing Washer



Thrust Roller Bearing Washer



"Beta Plus" Safety Lock



"Thumb Up" Safety Lock



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY




ROTATORY BELT BUCKLE

MULTI-FUNCTIONAL KNIVES



STRENGTHEN YOUR COURAGE



STRONG ENOUGH FOR OUTDOOR AND EMERGENCY USE

RUIKE multi-functional knives includes S (small-size) series, M (med-size) series, L (large-size) series and LD (large-size, one-handed operation, lockable) series by now. RUIKE multi-functional knives are designed and produced not only for daily use, but also for outdoor and emergency use. That is why RUIKE multi-functional knives are deserved by all people who are ready to act.

S SERIES FOR EDC AND LIGHT OUTDOOR USE

S series is designed for convenient key-chain hanging. It is capable of satisfying daily use demands by the offer of optional handy tools like belt cutter, scissors, bottle opener.

M/L/LD SERIES FOR OUTDOOR AND EMERGENCY USE

Most of the med- or large-size multifunctional knives are featured with five basic functions: large blade, tungsten steel glass breaker, retractable key/lanyard ring, pocket clip and stainless steel tweezers (M11/L11/LD11 features four). You can easily handle whatever in your way even without any other auxiliary tools.

Considerately, these series are also fitted with more auxiliary tools that catering for various application demands.



SPECIFICATION COMPARISON				
Item	S Series	M Series	L Series	LD Series
Full Length	122 mm / 4.80"	165 mm / 6.45"	199 mm / 7.83"	199 mm / 7.83"
Blade Length	53 mm / 2.10"	71 mm / 2.79"	85 mm / 3.35"	85 mm / 3.35"
Blade Steel	12C27 stainless steel (58~59HRC)			
Handle Scale	G10			
Main Application	EDC	EDC/outdoor/emergency	Outdoor/emergency	Outdoor/emergency
Size	Small	Med	Large	Large
Features	/	/	/	One-handed operation
	Small blade	Med blade	Large blade	Large blade
	/	Glass breaker	Glass breaker	Glass breaker
	/	Tweezers	Tweezers	Tweezers
	/	Pocket clip	Pocket clip	Pocket clip
	Key ring	Retractable ring	Retractable ring	Retractable ring



LARGE BLADE

The main blade of the RUIKE multi-functional knives have enhanced thickness and width, providing greater durability and blade capability compared to the competition.



SANDVIK 12C27 BLADE MATERIAL

Multi-functional knives are made from Sandvik 12C27 stainless steel. Outside of superior corrosion resistance, the steel provides the blades with added strength, giving the blades the ability to retain sharpness for longer.



POCKET CLIP DESIGN

Given that most owners of knives typically use them within environments that promote wear and tear, RUIKE has created stainless steel clips to holster the knives to protect them during non-use. Easy to carry, you can be assured that your RUIKE knife is protected.



G10 KNIFE HANDLE

G10 knife handles are a blend of fiberglass and resin, giving the knives the ability to withstand intense forces, preventing scrapes and general abrasion.



TUNGSTEN STEEL BREAKING CONE

Providing added capability, RUIKE multi-functional knives come with a tungsten steel breaking cone, allowing users to break glass and other tough materials that they may encounter.



S SERIES

COMPACT AND CONVENIENT FOR EVERY DAY CARRY

S31

WEIGHT: 52 g / 1.83 oz

FUNCTIONS:

1. Blade
2. Key ring
3. Scissors
4. Bottle opener
5. Belt cutter
6. Small screwdriver 4 mm

S SERIES SPECIFICATION

Blade Length: 53mm/2.1"

Finish: Mirror

Grind: Hollow


Overall Length: 122mm/4.8"

Blade Material: 12C27

Handle Material: G10



S11

COLOR: 

WEIGHT: 30 g / 1.06 oz

FUNCTIONS: 1 2



S21


COLOR: 

WEIGHT: 43 g / 1.52 oz

FUNCTIONS: 1 2 3 4 5 6



S22

COLOR: 

WEIGHT: 43 g / 1.52 oz

FUNCTIONS: 1 2 3

M SERIES

THE VERY VERSATILE M SERIES

M SERIES SPECIFICATION

Blade Length: 71mm/2.79"

Finish: Mirror

Grind: Flat

Overall Length: 165mm/6.45"

Blade Material: 12C27

Handle Material: G10



M61 B/G/N

WEIGHT: 200 g / 7.06 oz

FUNCTIONS:

1. Large blade
2. Pocket clip
3. Glass breaker
4. Tweezers
5. Retractable key/lanyard ring
6. Pliers
7. Wire cutter
8. Fishing line pliers
9. Wood saw

10. Nail cleaner
11. Metal file
12. Scissors
13. Large screwdriver 6.5 mm
14. Bottle opener
15. Wire stripper
16. Small screwdriver 3 mm
17. Belt cutter
18. Reamer with sewing eye
19. Drill
20. Facer
21. Corkscrew

M51

COLOR: ● ● ●

WEIGHT: 178 g / 6.28 oz

FUNCTIONS: 1 2 3 4 5 6 7 8 9

10 11 12 13 14 15 16 17 18 19



M11

COLOR: ● ● ●

WEIGHT: 60 g / 2.12 oz

FUNCTIONS: 1 2 3 4



M21

COLOR: ● ● ●

WEIGHT: 88 g / 3.10 oz

FUNCTIONS: 1 2 3 4 5

6 7 8 14 15 16



M31

COLOR: ● ● ●

WEIGHT: 118 g / 4.16 oz

FUNCTIONS: 1 2 3 4 5 6 7

8 13 14 15 16 17 18 19



M32

COLOR: ● ● ●

WEIGHT: 121 g / 4.27 oz

FUNCTIONS: 1 2 3 4 5

9 13 14 15 16 17 18 19 20 21



M41

COLOR: ● ● ●

WEIGHT: 158 g / 5.57 oz

FUNCTIONS: 1 2 3 4 5 6 7 8 12

13 14 15 16 17 18 19 20 21



M42

COLOR: ● ● ●

WEIGHT: 140 g / 4.94 oz

FUNCTIONS: 1 2 3 4 5 9 12 13

14 15 16 17 18 19 20 21



L SERIES

Featuring the largest blade in Criterion Collection series and more robust tools the L series is fit for the most severe outdoor conditions.

L51 B/G/N

WEIGHT: 243.5 g / 8.59 oz

FUNCTIONS:

1. Large blade
2. Glass breaker
3. Pocket clip
4. Tweezers
5. Corkscrew
6. Pliers
7. Wire cutter
8. Fishing line pliers
9. Scissors
10. Wood saw
11. Bottle opener
12. Large screwdriver 6.5 mm
13. Wire bender
14. Wire stripper/bender
15. Drill
16. Reamer with sewing eye
17. Facer
18. Spoke key
19. Wire stripper
20. Philips screwdriver
21. Small screwdriver 3 mm
22. Belt cutter
23. Key ring



L SERIES SPECIFICATION

Blade Length: 85mm/3.35"


Finish: Mirror

Grind: Flat

Overall Length: 199mm/7.83"

Blade Material: 12C27

Handle Material: G10



114mm



L11


COLOR: 

WEIGHT: 84.5 g / 2.98 oz

FUNCTIONS: 1 2 3 4



L21

COLOR: 

WEIGHT: 119.5 g / 4.22 oz

FUNCTIONS: 1 2 3 4 5
11 12 13 14 21 22 23



L31


COLOR: 

WEIGHT: 166.5 g / 5.87 oz

FUNCTIONS: 1 2 3 4 5 9 11 12 13
14 15 16 17 18 19 21 22 23



L32

COLOR: 

WEIGHT: 164 g / 5.78 oz

FUNCTIONS: 1 2 3 4 5 10 11
12 13 14 21 22 23



L41

COLOR: 

WEIGHT: 213.5 g / 7.53 oz

FUNCTIONS: 1 2 3 4 5 6 7 8
9 11 12 13 14 15 16 17 18
19 20 21 22 23



L42

COLOR: 

WEIGHT: 194.5 g / 6.86 oz



FUNCTIONS: 1 2 3 4 5 6 7 8 9
10 11 12 13 14 15 16 17 18 19
21 22 23



LD SERIES

TREKKER

Each LD series knife is fitted with a pocket clip and a tungsten steel glass breaker making the knife ultra-portable and super practical for emergency situations. The one-handed operated 85mm blade, made of Sandvik 12C27 stainless steel can be opened quickly by the thumbstud. The LD series comes in various versatile tool combinations to best fit your requirements.



Stainless Steel Pocket Clip



Retractable Lanyard Hole



LD SERIES

ONE-HANDED OPERATION AND LOCKABLE BLADE

LD51

WEIGHT: 262 g / 9.42 oz

FUNCTIONS:

1. Large blade
2. Glass breaker
3. Pocket clip
4. Tweezers
5. Corkscrew
6. Pliers
7. Wire cutter
8. Fishing line pliers
9. Scissors
10. Wood saw
11. Bottle opener
12. Large screwdriver 6.5 mm
13. Wire bender
14. Wire stripper/bender
15. Drill
16. Reamer with sewing eye
17. Facer
18. Spoke key
19. Wire stripper
20. Philips screwdriver
21. Small screwdriver 3 mm
22. Belt cutter
23. Key ring



LD SERIES SPECIFICATION

Blade Length: 85mm/3.35"

Finish: Mirror

Grind: Flat

Overall Length: 199mm/7.83"

Blade Material: 12C27

Handle Material: G10



LD11

COLOR: ●

WEIGHT: 95 g / 3.35 oz

FUNCTIONS: 1 2 3 4



LD21

COLOR: ●

WEIGHT: 138 g / 4.86 oz

FUNCTIONS: 1 2 3 4 5
11 12 13 14 21 22 23



LD31

COLOR: ●

WEIGHT: 181 g / 6.38 oz

FUNCTIONS: 1 2 3 4 5 9 11 12 13
14 15 16 17 18 19 21 22 23



LD32

COLOR: ●

WEIGHT: 164 g / 5.78 oz

FUNCTIONS: 1 2 3 4 5 10 11
12 12 14 21 22 23



LD41

COLOR: ●

WEIGHT: 231 g / 8.14 oz

FUNCTIONS: 1 3 4 5 6 7 8 9 11 12
13 14 15 16 17 18 19 20 21 22 23



LD42

COLOR: ●


WEIGHT: 203 g / 7.16 oz

FUNCTIONS: 1 2 3 4 5 9 10 11 12
13 14 15 16 17 18 19 21 22 23

RESCUE KNIFE


The professional quality knife/tool combination designed for demanding outdoor and rescue situations.

LD43

COLOR: 
WEIGHT: 262 g / 9.42 oz
FUNCTIONS:

1. Large blade
2. Belt cutter
3. Wood saw
4. Large screwdriver 6.5 mm
5. Bottle opener
6. Wire stripper/bender
7. Wire bender
8. Glass breaker
9. Snap buckle
10. Reamer with sewing eye
11. Drill
12. Facer
13. Large cross screwdriver
14. Pocket clip
15. Tweezers

LD SERIES SPECIFICATION
Blade Length: 85mm/3.35"
Finish: Mirror
Grind: Flat
Overall Length: 199mm/7.83"
Blade Material: 12C27
Handle Material: G10



114mm





F671-CB F815-B P831-SF P801-SF P848-B P865-B P852-B P841-B P108-SF P155-B P105-K P135-SF P121-B P128-SB P138-B F118-B



NEW

MODEL	P671	F815	P831	P801	P848	P865	P852
CATEGORY	Folding	Fixed Blade	Folding	Folding	Folding	Folding	Folding
OVERALL LENGTH	164 mm / 6.46"	190 mm / 7.48"	195 mm / 7.68"	200 mm / 7.87"	202 mm / 7.95"	205mm / 8.07"	206mm / 8.11"
BLADE LENGTH	70 mm / 2.76"	85 mm / 3.35"	85 mm / 3.35"	86 mm / 3.39"	84 mm / 3.31"	91 mm / 3.58"	89 mm / 3.50"
WEIGHT	104 g / 3.67 oz	105 g / 3.70 oz	93 g / 3.28 oz	120 g / 4.23 oz	104 g / 3.67 oz	70 g / 2.47 oz	162 g / 5.71 oz
BLADE MATERIAL	14C28N	14C28N	14C28N	14C28N	14C28N	14C28N	14C28N
HANDLE MATERIAL	G10	G10	420	420	G10	G10	G10
SHEATH MATERIAL	/	ABS Plastic	/	/	/	/	/
LOCKING MECHANISM	Liner Lock	/	Frame Lock Safety lock	Frame Lock	Liner Lock	Liner Lock	Liner lock Safety lock

NEW

P841	P108	P155	P105	P135	P121	P128	P138	F118
Folding	Folding	Folding	Folding	Folding	Folding	Folding	Folding	Fixed Blade
208 mm / 8.19"	210 mm / 8.27"	213 mm / 8.39"	213 mm / 8.39"	214 mm / 8.43"	215 mm / 8.46"	217 mm / 8.54"	221 mm / 8.70"	223 mm / 8.78"
90 mm / 3.54"	88 mm / 3.46"	90 mm / 3.54"	91.6 mm / 3.60"	92 mm / 3.62"	92 mm / 3.62"	93 mm / 3.66"	90 mm / 3.54"	110 mm / 4.33 oz
140 g / 4.94 oz	118g / 4.16 oz	145 g / 5.11 oz	147 g / 5.19 oz	167 g / 5.89 oz	127 g / 4.48 oz	159 g / 5.61 oz	158 g / 5.57 oz	190 g / 6.72"
14C28N	14C28N	14C28N	14C28N	14C28N	14C28N	14C28N	14C28N	14C28N
G10	420	G10	G10	420	G10	420	G10	G10
/	/	/	/	/	/	/	/	ABS Plastic
Liner lock Safety lock	Frame Lock Safety lock	Liner lock Safety lock	Liner Lock	Frame Lock Safety lock	Liner Lock	Frame Lock Safety lock	Liner lock Safety lock	/

FOLDING KNIVES



P671-CB




Open: 164 mm/ 6.46"
Closed: 96mm/ 3.78"
Weight: 104 g/ 3.67 oz

BLADE


Length: 70 mm/ 2.76"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Bead Blast
Grind: Flat

HANDLE

Material: G10 with 420 Stainless Steel Liner
Finish: Carbon Fiber Overlay
Locking: Liner Lock



CRYOGENIC TREATMENT



THRUST BALL BEARING WASHER



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY

P848-B




Open: 202 mm/ 7.95"
Closed: 118 mm/ 4.64"
Weight: 104 g/ 3.67 oz

BLADE

Length: 84 mm/ 3.31"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N, 58~60HRC
Finish: Bead Blast
Grind: Flat

HANDLE

Material: Black G10 with Stainless Steel Liner
Finish: Skidproof Texture
Locking: Liner Lock



CRYOGENIC TREATMENT



THRUST ROLLER BEARING WASHER



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY

P801-SB

Open: 200 mm/ 7.87"
Closed: 114 mm/ 4.49"
Weight: 120 g/ 4.23 oz

BLADE
Length: 88 mm/ 3.46"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N, 58~60HRC
Finish: Stonewash
Grind: Full Flat

HANDLE
Material: Stainless Steel
Finish: Stonewash
Locking: Frame Lock



P801-SF

Open: 200 mm/ 7.87"
Closed: 114 mm/ 4.49"
Weight: 120 g/ 4.23 oz

BLADE
Length: 88 mm/ 3.46"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N, 58~60HRC
Finish: Stonewash
Grind: Full Flat

HANDLE
Material: Stainless Steel
Finish: Stonewash
Locking: Frame Lock



P105-K

Open: 213 mm/ 8.39"
Closed: 122 mm/ 4.80"
Weight: 147 g/ 5.19 oz

BLADE
Length: 91.6 mm/ 3.60"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat

HANDLE
Material: ● Pale Blue and Black G10 with Stainless Steel Liner

Finish: Skidproof Texture
Locking: Liner Lock




P105-Q

Open: 213 mm/ 8.39"
Closed: 122 mm/ 4.80"
Weight: 147 g/ 5.19 oz

BLADE
Length: 91.6 mm/ 3.60"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat

HANDLE
Material: ● Blue and Black G10 with Stainless Steel Liner

Finish: Skidproof Texture
Locking: Liner Lock





P121-B

Open: 215 mm/ 8.46"
Closed: 122 mm/ 4.80"
Weight: 127 g/ 4.48 oz

BLADE

Length: 92 mm/ 3.62"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat (slight sabre)

HANDLE

Material: ● Black G10 with Stainless Steel Liner

Finish: Skidproof Texture

Locking: Liner Lock



P121-G

Open: 215 mm/ 8.46"
Closed: 122 mm/ 4.80"
Weight: 127 g/ 4.48 oz

BLADE

Length: 92 mm/ 3.62"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat (slight sabre)

HANDLE

Material: ● Green G10 with Stainless Steel Liner

Finish: Skidproof Texture

Locking: Liner Lock



CRYOGENIC TREATMENT



THRUST BALL BEARING WASHER



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY

P865-B



P865-B

Open: 205 mm/ 8.07"
Closed: 114 mm/ 4.49"
Weight: 70 g/ 2.47 oz

BLADE

Length: 91 mm/ 3.58"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N, 58~60HRC
Finish: Bead Blast
Grind: Flat

HANDLE

Material: Black G10 with Stainless Steel Liner

Finish: Skidproof Texture

Locking: Liner Lock



CRYOGENIC TREATMENT



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY





BETA PLUS SAFETY LOCK

BETA PLUS SAFETY LOCK
DESIGNED FOR HANDLING DIFFICULT SITUATIONS
AND HAVING THE USERS PROTECTION



P831-SF

Open: 195 mm/ 7.68"
Closed: 110 mm/ 4.33"
Weight: 93 g/ 3.28 oz

BLADE

Length: 85 mm/ 3.35"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N, 58-60HRC
Finish: Bead Blast
Grind: Full Flat

HANDLE

Material: Stainless Steel
Finish: Bead Blast
Locking: Frame Lock + "Beta Plus" Safety Lock



CRYOGENIC TREATMENT



BETA PLUS SAFETY LOCK



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY



P108-SB

Open: 210 mm/ 8.27"
Closed: 120 mm/ 4.72"
Weight: 118 g/ 4.16 oz

BLADE

Length: 88 mm/ 3.46"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N
Finish: ● Black Oxide + Stonewash
Grind: Flat

HANDLE

Material: Stainless Steel
Finish: ● Black Oxide + Stonewash
Locking: Frame Lock + "Beta Plus" Safety Lock



P108-SF

Open: 210 mm/ 8.27"
Closed: 120 mm/ 4.72"
Weight: 118 g/ 4.16 oz

BLADE

Length: 88 mm/ 3.46"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N
Finish: ● Satin
Grind: Flat

HANDLE

Material: Stainless Steel
Finish: ● Satin
Locking: Frame Lock + "Beta Plus" Safety Lock



CRYOGENIC TREATMENT



THRUST BALL BEARING WASHER



BETA PLUS SAFETY LOCK



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY

P128-SB



Open: 217 mm/ 8.54"
Closed: 124 mm/ 4.88"
Weight: 159 g/ 5.61 oz

BLADE

Length: 93 mm/ 3.66"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: ● Black Oxide + Stonewash
Grind: Flat

HANDLE

Material: Stainless Steel
Finish: ● Black Oxide + Stonewash
Locking: Frame Lock + "Beta Plus" Safety Lock

P128-SF



Open: 217 mm/ 8.54"
Closed: 124 mm/ 4.88"
Weight: 159 g/ 5.61 oz

BLADE

Length: 93 mm/ 3.66"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: ● Bead Blast
Grind: Flat

HANDLE

Material: Stainless Steel
Finish: ● Bead Blast

Locking: Frame Lock + "Beta Plus" Safety Lock



P135-SF



P135-SF

Open: 214 mm/ 8.43"
Closed: 122 mm/ 4.80"
Weight: 167 g/ 5.89 oz

BLADE

Length: 92 mm/ 3.62"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat

HANDLE

Material: Stainless Steel
Finish: Bead Blast
Locking: Frame Lock + "Beta Plus" Safety Lock



**THUMB UP SAFETY LOCK
DESIGNED FOR HANDLING
DIFFICULT SITUATIONS
AND HAVING THE
USERS PROTECTED**



P841-L

Open: 208 mm/ 8.19"
Closed: 118 mm/ 4.65"
Weight: 140 g/ 4.94 oz

BLADE

Length: 90 mm/ 3.54"
Thickness: 3.1 mm/ 0.12"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat

HANDLE

Material: Green and Black G10 with Stainless Steel Liner
Finish: Skidproof Texture
Locking: Liner Lock + "Thumb Up" Safety Lock



CRYOGENIC TREATMENT



THRUST BALL BEARING WASHER



THUMB UP SAFETY LOCK



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY



P155-B

Open: 213 mm/ 8.39"
Closed: 122mm/ 4.8"
Weight: 145 g/ 5.11 oz

BLADE

Length: 90 mm/ 3.54"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Bead Blast
Grind: Flat

HANDLE

Material: Black G10 with 420 Stainless Steel Liner
Finish: Skidproof Texture
Locking: Liner Lock + "Thumb Up" Safety Lock



P155-W

Open: 213 mm/ 8.39"
Closed: 122mm/ 4.8"
Weight: 145 g/ 5.11 oz

BLADE

Length: 90 mm/ 3.54"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Bead Blast
Grind: Flat

HANDLE

Material: Sand Color G10 with 420 Stainless Steel Liner
Finish: Skidproof Texture
Locking: Liner Lock + "Thumb Up" Safety Lock



CRYOGENIC TREATMENT



THRUST ROLLER BEARING WASHER



THUMB UP SAFETY LOCK



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY



P138-B

Open: 221 mm/ 8.70"
Closed: 131 mm/ 5.16"
Weight: 158 g/ 5.57 oz

BLADE

Length: 90 mm/ 3.54"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat

HANDLE

Material: ● Black G10 with Stainless Steel Liner

Finish: Skidproof Texture

Locking: Liner Lock + "Thumb Up" Safety Lock



P852-B

Open: 206 mm/ 8.11"
Closed: 117 mm/ 4.60"
Weight: 162 g/ 5.71 oz

BLADE


Length: 89 mm/ 3.50"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat

HANDLE

Material: Black G10 with Stainless Steel Liner

Finish: Skidproof Texture

Locking: Liner Lock + "Thumb Up" Safety Lock



CRYOGENIC TREATMENT



THRUST ROLLER BEARING WASHER



THUMB UP SAFETY LOCK



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY



P138-W

Open: 221 mm/ 8.70"
Closed: 131 mm/ 5.16"
Weight: 158 g/ 5.57 oz

BLADE


Length: 90 mm/ 3.54"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Brushed
Grind: Flat

HANDLE

Material: ● Sand Color G10 with Stainless Steel Liner

Finish: Skidproof Texture

Locking: Liner Lock + "Thumb Up" Safety Lock



CRYOGENIC TREATMENT



THRUST ROLLER BEARING WASHER



THUMB UP SAFETY LOCK



WEIGHT REDUCTION DESIGN



LANYARD COMPATIBILITY



FIXED BLADE KNIVES



F118-B

Overall Length: 223 mm/ 8.78"
Weight: 190.5 g/ 6.72 oz (excluding sheath)
 Full Tang

BLADE
Length: 110 mm/ 4.33"
Thickness: 4.5 mm/ 0.18"
Steel: 1 4C28N, 58~60HRC
Finish: Stonewash
Grind: Flat

HANDLE
Material: G10
Finish: Skidproof texture

SHEATH
Material: ABS Plastic



F118-G


Overall Length: 223 mm/ 8.78"
Weight: 190.5 g/ 6.72 oz (excluding sheath)
 Full Tang

BLADE
Length: 110 mm/ 4.33"
Thickness: 4.5 mm/ 0.18"
Steel: 1 4C28N, 58~60HRC
Finish: Stonewash
Grind: Flat

HANDLE
Material: G10
Finish: Skidproof texture

SHEATH
Material: ABS Plastic



 CRYOGENIC TREATMENT

 ROTATORY BELT BUCKLE

 WEIGHT REDUCTION DESIGN

 LANYARD COMPATIBILITY



F815-B

Overall Length: 190 mm/ 7.48"
Weight: 105 g/ 3.70 oz (excluding sheath)
 Full Tang

BLADE
Length: 85 mm/ 3.35"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Stonewash
Grind: Flat

HANDLE
Material: Black G10
Finish: Skidproof Texture

SHEATH
Material: ABS Plastic



F815-J


Overall Length: 190 mm/ 7.48"
Weight: 105 g/ 3.70 oz (excluding sheath)
 Full Tang




BLADE
Length: 85 mm/ 3.35"
Thickness: 3.5 mm/ 0.14"
Steel: 14C28N, 58~60HRC
Finish: Stonewash
Grind: Flat

HANDLE
Material: Orange G10
Finish: Skidproof Texture

SHEATH
Material: ABS Plastic

-  CRYOGENIC TREATMENT
-  ROTATORY BELT BUCKLE
-  LANYARD COMPATIBILITY





PHOTOS TAKEN

COVER: @badcoilbuilder
 LD43/F118/F815: Donald Marzy
 P801: @vasziljedc
 P108: @rjdowell77
 P135: Alfredo Doricchi
 P138: www.messerdepot.de
 P105: @laplander_pl
 P121: @blacksheep302

PRODUCT WARRANTY

1. 15-day Replacement: RUIKE will replace identical or equal products (if the same one is out of stock) with documented manufacturing defects within 15 days of purchase.

2. 5-year Free Repair: RUIKE will repair a knife free of charge within 5 years of purchase if problems develop with normal use. The warranty won't cover misuse, abuse, disassembling and other man-made damage, also the normal wear and tear, color abrasion, holster and other accessories are not covered by this guarantee.

3. Lifetime Maintenance: If repair is required after 5 years from the date of purchase, RUIKE will charge for parts. The total repair fee is dictated by the cost of the replaced materials.

4. Warranty Certificate: The customers should keep the RUIKE warranty card, purchasing invoice or receipt before contacting the distributors for after-sale maintenance. For warranty work, contact your RUIKE dealer.



RUIKE

2019

